


ROCA

MERIDIAN BACK TO WALL PAN



Dimensions are nominal measurements only.

SPECIFICATIONS

Recommended Use	Domestic, hotel and commercial
Rim Configuration	Box Rim
Bowl Configuration	P Trap (Converts to S using plastic S-bend provided)
Pan Fixing	Screwed to the floor using brackets (supplied) and bedded with sealant
Seat	Matching top-fix, soft-close, quick-release seat supplied with pan
Weight	Pan: 30.8kg
Flushing	4.5/3 litre dual flush
WELS	4 Star WELS Rating
Standards	AS1172.1




To see the complete Roca range go to www.reece.com.au/bathrooms

CLEANING RECOMMENDATIONS

We recommend the use of soapy water or approved cleaners.

This product should not be cleaned with abrasive materials.

Damage caused by any improper treatment is not covered by the product warranty. Refer to Warranty Page for full Terms and Conditions.



Disclaimer: Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.



Tech Page Version 3




ROCA

MERIDIAN BACK TO WALL PAN

INSTALLATION INSTRUCTIONS




S-TRAP



RANGE	X (mm)
HALL MERIDIAN-N The GAP	95

P-TRAP



RANGE	Y (mm)
HALL MERIDIAN-N The GAP	95

Plumbers, please ensure a copy of the installation instructions is left with the end user for future reference

ROCA

MERIDIAN BACK TO WALL PAN

