



ELECTRIC INSTANTANEOUS WATER HEATERS

**35 YEARS
IN WATER
HEATING**

HOTRUN X, instant,
efficient & intelligent





ELWA designs, manufactures and supplies energy-saving products and solutions

Heating water accounts for 25% of energy consumption in households, so it is important to install an energy efficient water heater. In the long run, it saves a lot of money. ELWA's mission is to provide solutions that are the most energy and water efficient.

ELWA water heaters are compact in size, highly energy efficient and never run out of hot water.

The Hotrun water heaters have been manufactured by Elwa for 35+ years. Each water heater is quality tested to ensure your access to instant, constant flow of hot water is never compromised.


Elwa Hotrun X water heaters feature metal-casted heat exchangers with high capacities, no leaks.

With strong Poly-Carbonate casing our water heaters ensure long lasting reliable products.

All Hotrun models can be used as a booster for solar and heat pump systems.

The power to the elements in the heat-exchanger is instantly activated as soon as there is demand for hot water.

A Hotrun only uses energy when there is demand for hot water. Unlimited supply with almost 100% efficiency.



10 year warranty

LOW ENERGY CONSUMPTION HIGH PERFORMANCE

Advantages of ELWA Hotrun-X electric instantaneous water heaters:

- Each of the 4 Hotrun X models has multiple power input options (kW) to suit any power supply, for every situation
- Single, Two- and Three-phase options
- Programmable temperature limiter
- Digital temperature control
- Touch screen control panel
- Optional LoRa communication for remote diagnostics and service
- Legionella thermal disinfection mode
- No pressure limiters required
- Pressure resistant up to 2MPa
- leak free guarantee for 10 years
- The most efficient technology to generate unlimited hot water
- Energy is only used when there is hot water flow
- No plastics in the water path
- Silent, noise-free operation
- The compact size allows for installation anywhere
- Fully electric, no flue, no gas connection required
- Designed to meet all plumbing standards in Australia & New Zealand
- 10 year product warranty*

The X-series has optional remote monitoring via LoRa.

The water heater can send usage data & diagnostics directly to a service centre.

This saves call-out/traveltime for a service technician, and \$\$\$ (time = money)!

LoRa has the option to communicate lifetime energy and water consumption.



CB



*10 year warranty for products purchased after January 1, 2024

High water pressure will never void the warranty, unlike most other products on the market.

HOTRUN X6 1-PHASE WATER HEATER

Designed for a HAND WASH BASIN or a KITCHENETTE

Power (kWatt) for Installer to select	2.8 kW	3.8 kW	4.8 kW	6.0 kW	
Single-Phase power connection	12 Amps	16 Amps	20 Amps	25 Amps	
Performance $\Delta T = 25^{\circ}\text{C}$	Flowrate 1.8 L/min	Flowrate 2.3 L/min	Flowrate 2.8 L/min	Flowrate 4.0 L/min	
No. of Hand Wash Basins, or	1	1	1	2	
No. of Kitchenette				1	
Dimensions	315 x 204 x 130 mm				
Voltage	1x240 V				
IP rating	IP24				
Connection	1/2" BSP				
Weight	3 kg				
Pressure rating	1 MPa (tested at 2 MPa)				

HOTRUN X11 1-PHASE & 2-PHASE WATER HEATER

Designed for a KITCHEN SINK or a SHOWER

Designed for a KITCHEN Sink or a SHOWER				
Power (kWatt) for Installer to select	6.0 kW	7.6 kW	9.6 kW	11 kW
Single-Phase power connection	1 x 25 Amps	1 x 32 Amps	1 x 40 Amps	1 x 50 Amps
Two-Phase power connection	2 x 12.5 Amps	2 x 16 Amps	2 x 20 Amps	2 x 25 Amps
Performance $\Delta T = 25^{\circ}\text{C}$	Flowrate 4.0 L/min	Flowrate 5.0 L/min	Flowrate 6.0 L/min	Flowrate 7.0 L/min
No. of Hand Wash Basins, or	1	2	2 to 3	3
No. of Showers, or	1 *in climate zone 1 & 3	1 *in climate zone 1 & 3	1 *in climate zone 1, 2 & 3	1 *in climate zone 1, 2, & 3
No. of Hairdresser Basins, or	1 *in climate zone 1 & 3	1 *in climate zone 1, 2 & 3	1 *in climate zone 1, 2 & 3	1
No. of Kitchenettes, or	1	1	1	1, *2 in climate zone 1, 2, & 3
No. of Kitchen Sinks	1 *in climate zone 1, 2 & 3	1 *in climate zone 1, 2, & 3	1	1, *2 in climate zone 1, 2, & 3
Dimensions	315 x 204 x 130 mm			
Voltage	1 x 240 V or 2 x 240 V			
IP rating	IP24			
Connection	1/2" BSP			
Weight	4 kg			
Pressure rating	1 MPa (tested at 2 MPa)			




HOTRUN X12 3-PHASE WATER HEATER


Designed to serve 1-3 HAND WASH BASINS, a SHOWER, a HAIRDRESSER BASIN or 1-2 KITCHEN SINKS

Power (kWatt) for Installer to select	6 kW	9 kW	12 kW	
Three-Phase power connection	3 x 8 Amps	3 x 12 Amps	3 x 16 Amps	
Performance Δ T = 25°C	Flowrate 4.0 L/min	Flowrate 6.0 L/min	Flowrate 8.0 L/min	
No. of Hand Wash Basins, or	1	2 to 3	3	
No. of Showers, or	1 *in climate zone 1 & 3	1 *in climate zone 1, 2, & 3	1	
No. of Hairdresser Basins, or	1 *in climate zone 1 & 3	1 *in climate zone 1, 2, & 3	1	
No. of Kitchen Sinks	1	1	1 or 2*in climate zone 1 & 3	
Dimensions	480 x 243 x 120 mm			
Voltage	415 V			
IP rating	IP24			
Connection	1/2" BSP			
Weight	5.9 kg			
Pressure rating	1 MPa (tested at 2 MPa)			

HOTRUN X24 3-PHASE WATER HEATER

Designed to serve 3-7 HAND WASH BASINS, 1-3 SHOWERS, 1-3 HAIRDRESSER BASINS and/or 1-3 KITCHEN SINKS

Designed to serve 3 x HAND WASH BASINS, 1 x SHOWER, 1 x HAIRDRESSER BASIN and 0-1 KITCHEN SINK			
Power (kWatt) for Installer to select	12 kW	18 kW	24 kW
Three-Phase power connection	3 x 16 Amps	3 x 25 Amps	3 x 35 Amps
Performance $\Delta T = 25^{\circ}\text{C}$	Flowrate 8.0 L/min	Flowrate 11 L/min	Flowrate 14 L/min
No. of Hand Wash Basins, or	3	5	7
No. of Showers, or	1	1, 2 for in climate zone 1, 2, & 3	2, *3 in climate zone 1, 2, & 3
No. of Hairdresser Basins, or	1	2	3
No. of Kitchen Sinks	1 or 2*in climate zone 1 & 3	2	3
Dimensions	480 x 243 x 120 mm		
Voltage	415 V		
IP rating	IP24		
Connection	1/2" BSP		
Weight	7.1 kg		
Pressure rating	1 MPa (tested at 2 MPa)		



The image shows a white, rectangular water heater unit with a digital display on the front. The display shows '60' for temperature, '55' for pressure, and '2.0' for flow rate. The unit is labeled 'HOTRUN X24' and 'ELWA'.

*For climate zones please refer to the ABCB climate zone map: <https://www.abcb.gov.au/resources/climate-zone-map>

Each HOTRUN X model
has a choice of multiple
digital kilowatt settings
built-in one water heater

ELWA BV
Amsterdam
The Netherlands
Phone +31 (0)20 436 1224
sales@elwa.nl
www.elwa.nl

ELWA Pty Ltd
Adelaide
Australia
Phone +61 (0)8 8377 6666
sales@elwa.com.au
www.elwa.com.au