

Dimensions are nominal measurements only.

SPECIFICATIONS		
Recommended use	Domestic, Hotel & Commercial	
Material	Pan & Basin: Vitreous China Seat: Phenolic	
Colour	White	
Rim configuration	Box Rim	
Bowl configuration	P Trap	
Pan fixing	Screwed to the wall using brackets (supplied) and bedded with sealant	
Cistern fixing	Built in	
Seat	Soft Close Seat	
Inlet valve	Recommended maximum working pressure 1000 KPa	
Weight	90 Kg	



To see the complete ROCA range go to www.reece.com.au/bathrooms

Roca

reece

CLEANING RECOMMENDATIONS

We recommend the use of soapy water or approved cleaners. This product should not be cleaned with abrasive materials. Damage caused by any improper treatment is not covered by the product warranty. Refer to Warranty Conditions.




WaterMark AS 1172 WMKA 02321

Disclaimer: Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.

Tech Page Version 1




PREINSTALLATION INSTRUCTIONS







Roca reece

ROCA W+W










Plumbers, please ensure a copy of the installation instructions is left with the end user for future reference




PREINSTALLATION INSTRUCTIONS








INSTALLATION INSTRUCTIONS - FRAME




Plumbers, please ensure a copy of the installation instructions is left with the end user for future reference



INSTALLATION INSTRUCTIONS - FRAME











INSTALLATION INSTRUCTIONS - FRAME











INSTALLATION INSTRUCTIONS



Plumbers, please ensure a copy of the installation instructions is left with the end user for future reference


reece



Plumbers, please ensure a copy of the installation instructions is left with the end user for future reference




INSTALLATION INSTRUCTIONS



Roca


reece


INSTALLATION INSTRUCTIONS



Roca


reece









INSTALLATION INSTRUCTIONS



Roca


reece













Plumbers, please ensure a copy of the installation instructions is left with the end user for future reference



INSTALLATION INSTRUCTIONS













INSTALLATION INSTRUCTIONS - SEAT










INSTALLATION INSTRUCTIONS - SEAT





page 22 of 22

ROCA W+W

SPARE PARTS

Image	Reece Code	Product Descripton	Part Number
		W+W Plastic Tank Assembling	A822077800
(<u>1997</u>))		W+W D4D Outlet Valve	A822023200
		W+W Fluidmaster Back Inlet Valve	A822096000
		W+W Push Button	A822034201
S		W+W Form Gasket	AV0000100R
		W+W Installation Template	AV0000000R
- AL		W+W L Shape Bracket including Fixation Kit	A822091100
·		W+W Fixation Kit Only for L Shape Bracket	A822039800
No.		W+W Detergent Dispenser for Recycled Water Purifica- tion	AV0000400R
\bigcirc		W+W Ceramic Waste Cover	A389702000
		W+W Eco Model On/Off Switch including filter	A892020000
0		W+W Detergent Dispenser Cover Chrome	A822748100
0, 0 		W+W Wall Fixating 1	A822097200
		W+W Wall Fixation 2	A822039100
0. Q.		W+W Special Flusing Pipe	A892022000
17 15 16		W+W Plastic Tank fixation kit	A82276430R
		W+W Seat and Cover Soft Closing	A801702004
2323 0000		W+W Seat Buffers Pack	A802910880
ę.		W+W Seat Hinges and Fixing Toggles Kit	A802910870
		W+W Rear Cover and Fixing Kit	A802910860

