


NEW

ROTHENBERGER ROBLAST JETTER

High pressure drain cleaning jetter for clearing blockages from drains up to 8"



Fast

Flow rate of 23 lpm will clear the most stubborn drain blockage with ease



Powerful

Genuine 27 HP Honda engine and 5,000 PSI pump



Professional

Designed and built to be truck/ute/trailer mounted for professional use

rothenberger.com.au

DRAIN CLEANING

NEW ROTHENBERGER ROBLAST JETTER

ROBLAST

Armadillo Redflex hose

60 m 5/16" jetting hose with hose restraint on main reel, easy to twist for tight drains

Removable 25L fuel tank

With level indicator and quick release connector for fast refuelling

Large stainless steel water tank

51L capacity / 38L usable

Low water cut-out switch

Prevents damage to pump when no water in tank

Clear filter

Easy to view any debris caught in filter - easy to clean

Honda GX690 engine

With low oil shutdown, reduces the chance of engine damage due to insufficient lubrication

Interpump W3523

High performance plunger pump producing 5000 PSI @ 23L/min

Greenflex low pressure hose


Premium 35 m 3/4" water supply hose with tap fittings

Direct mount belt drive

Increased efficiency, longer lifetime of engine, reduced noise

Built for truck/ute/trailer mounting

Designed for professional use (takes up to 43% less space on a truck compared to other brands)




ROTHENBERGER ROBLAST JETTER

High pressure drain cleaning jetter for clearing blockages such as grease, sediment and tree roots from drains up to 8"

- Honda GX690 V-twin petrol engine
- Low oil level safety shutdown switch
- Hour meter
- Low water level safety switch for pump protection
- Marine grade battery isolator
- "Battery saver" safety alarm
- Interpump W3523 High Performance plunger pump producing 5000 PSI @ 23L/min
- Fully guarded direct belt drive system
- Low profile frame with multiple hose reel positioning options
- Designed and built for truck/ute/trailer mounting, for professional use
- Tough Mustang hose reels for both high and low pressure hoses
- Unique 5/16" Armadillo Redflex jetting hose, easy to handle without compromising the flow
- Premium 3/4" water supply hose with tap fittings
- Removable 25L fuel tank with level indicator and quick release connector
- Dual water filtration to increase pump service intervals
- Single point operation layout for ergonomic user comfort
- Mustang Nozzles remote mini reel with 60 m 1/4" Armadillo Redflex hose
- Genuine Mustang Nozzles nozzle box including Root Ranger® nozzle plus 15 m Whip Hose
- Mustang safety plate, safety sign and safety glasses
- Ready to use package, get all you need to attack that first blockage

Variants

Model	
ROBLAST	195



Nozzle Box Includes: Root Ranger Nozzle (RR8TC), Predator Invader Nozzle (P6R1FC), Negotiator Thruster Nozzle (N6RC), Compressor Thruster Nozzle w/adaptor (CA8/C3R1F), Spare quick release (QR8BR2), Nozzle tip cleaner (TC), Nozzle spanner (NS)

Technical Data

Description	
Working range / Pipe diameter	Ø 8"
Max. working range	120 m (with mini reel)
Engine	Honda GX690 27 HP
Pump	Interpump W3523
Flow rate	23L/min
Battery	280CCA 26Ah 12V PbAc
PSI	5,000
Fuel tank	25L
Water tank	51L capacity / 38L usable
Dry weight	195 kg
Dimensions	1350L x 585W x 870H mm

+ ROBLAST Included Accessories



ROTHENBERGER Nozzle Box



Mini Reel



CIP sign



Hose Restraint



Safety Plate



15 m Whip Hose

Further Products



ROCAM® 4+



R750



RODRUM L



ROTHENBERGER Australia

6 / 13 Hoyle Avenue
Castle Hill, NSW, 2154

☎ 02 9899 7577

☎ 02 9899 7677

✉ sales-au@rothenberger.com

🌐 rothenberger.com.au