

SUBMERSIBLE RAIN MAINS SYSTEM

RM5000-5 - 25mm system with minimal pressure loss on Mains*



The RM5000-5 features a Submersible Multistage Pressure Pump with integral controller, specifically designed for fast and easy installation. The majority of components in the RM5000-4 are made in Europe, guaranteeing exceptional quality and performance in Rainwater supply applications. This system is suitable for above or underground tanks. Refer to the data table below to choose the pump sizing according to the house size and number of bathrooms.

APPLICATIONS

- Toilet & laundry
- Units/ House / Cabin / Granny flat (1 bathroom)
- Commercial / industrial*
- Garden irrigation*
- Toilet blocks (up to 6 fixtures)*
- Construction / mine site offices*

*Check specifications required

FEATURES & BENEFITS

PUMP


- Automatic start and stop on demand
- Mains Flow - 50L/Min
- Integrated pressure controller with 220kPa/2.2 bar cut-in
- Supplied with 10m H07RN8F cable
- Integrated run-dry protection
- Auto restart function after run-dry event
- Compact design
- Water-cooled motor
- Thermal overload protection

RM SYSTEM

- 25mm Rain to Mains Valve with minimal pressure reduction on mains supply.
- Integrated check valve, 100% Hydraulic
- Corrosion resistant
- Certified to AS/NZS4020 for use with potable water

CONSTRUCTION

- Stainless Steel AISI 304 Pump body, motor shaft, handle, cover, screen
- Polymer Impellers, diffusers
- Alumina Graphite, lubricated mechanical seal
- Valveset made from DZR Brass



**It is critical that the correct pipe sizing is used. For example, the use of 20mm pipework throughout a large house will restrict the pressure, worsening with the distance from the pump.

CODE	DESCRIPTION	HOUSE SIZE & BATHROOMS**	POWER 240V			MAXIMUM		NO. OF IMPELLERS	CABLE LENGTH (M)	SIZE DØ X H (MM)
			AMPS	P1 (kW)	P2 (kW)	FLOW (L/MIN)	HEAD (M)			
22849	REEFE RPS34E Pressure Pump & RM1500-2	Average 1-2 Bathrooms	3.8	0.85	0.37	80	32	3	10	Ø127x502
22856	REEFE RPS57E Pressure Pump & RM1500-2	Large 3-4 Bathrooms	6	1.25	0.75	90	57	5	10	Ø127x610