
ROCA DAMA SENSO COMPACT BACK TO WALL TOILET SUITE BACK INLET



Dimensions are nominal measurements only

| SPECIFICATIONS | |
|--------------------|--|
| Recommended Use | Domestic, hotel and commercial |
| Rim Configuration | Box Rim |
| Bowl Configuration | P Trap (Converts to S using plastic S-bend provided) |
| Set Out | P Trap: 180mm, S Trap: 95mm-165mm |
| Pan Fixing | Screwed to the floor using brackets (supplied) and bedded with sealant |
| Cistern Fixing | Top-fix cistern bolted directly to the bowl |
| Seat | Matching top-fix, soft-close seat supplied with suite |
| Water Inlet | Back Inlet |
| Inlet Valve | Recommended max. working pressure 1000kPa |
| Weight | Pan: 26.7kg, Cistern: 14.4kg |



To see the complete ROCA range go to www.reece.com.au/bathrooms

CLEANING RECOMMENDATIONS

We recommend the use of soapy water or approved cleaners.

This product should not be cleaned with abrasive materials.

Damage caused by any improper treatment is not covered by the product warranty. Refer to Warranty Conditions.












ROCA

DAMA SENSO COMPACT BACK TO WALL TOILET SUITE BACK INLET

INSTALLATION








ROCA DAMA SENSO COMPACT BACK TO WALL TOILET SUITE BACK INLET

INSTALLATION








ROCA

DAMA SENSO COMPACT BACK TO WALL TOILET SUITE BACK INLET

MAINTENANCE








ROCA DAMA SENSO COMPACT BACK TO WALL TOILET SUITE BACK INLET

PARTS



| 1 - AH0001800R | Push Button Assembly |
|-------------------------|------------------------|
| 2 - A822096400 W | Inlet Valve |
| 3 - AH0000100R | Outlet Valve |
| 4 - AV0028800R | Cistern Top Fixing Kit |
| 5 - AV0009400R | Pan Fixing KIt |



