

INWALL BODY

Concealed Inwall Mixer Diverter Body

MODEL #32963001

Pure Freude
an Wasser

GROHE


Product Specifications



Product Description:
Single-lever bath mixer with diverter

Standard Specification:
Single-lever mixer 1/2", concealed body for
bath and shower
without finishing trim set
wall installation

GROHE SilkMove® 46 mm ceramic cartridge
adjustable flow rate limiter
top and bottom outlet 1/2"
cap included
diverter in trimset for final installation clockwise
thread
fastening loops



INWALL BODY


Concealed Inwall Mixer Diverter Body


MODEL #32963001


*Pure Freude
an Wasser*

GROHE

Installation instructions


1

2

3

4

X	Y max. tile thickness
1	10
2	11
3	12
...	...
13	22



INWALL BODY

Concealed Inwall Mixer Diverter Body


MODEL #32963001

*Pure Freude
an Wasser*


GROHE

Installation instructions


5




6



7



8



INWALL BODY

Concealed Inwall Mixer Diverter Body

MODEL #32963001

Pure Freude
an Wasser



Installation instructions

Installation Instructions

Flush piping system prior and after installation of fitting thoroughly!

This product must be installed in conformance with local codes e.g. AS/NZS 3500 series of standard!

Installation and connection, see Figs [1] to [6].

Refer to the dimensional drawings.

PLEASE NOTE:

For 32963 face of noggins need to be positioned a minimum of 74mm and a maximum of 86mm from where the unfinished wall surface will end up.

Note:

When installing concealed mixer body, please note it must be mounted onto timber or solid walls using appropriate reinforcement to ensure sufficient strength.

Open cold and hot water supply and check connections for leakage!

Specifications

- Flow pressure min. 50 kPa - recommended 100 - 500 kPa
- Operating pressure max. 1000 kPa
- Test pressure 1600 kPa

If static pressure is greater than 500 kPa, fit pressure reducer. Avoid major pressure differences between hot and cold water supply.

- Flow rate at 300 kPa flow pressure approx. 27 L/min

• Temperature

Hot water inlet: (maximum) 70 °C

Recommended: (energy saving) 60 °C

Thermal disinfection possible

Water connection cold - right
hot - left

Important note:

Never install shut-off valves in the outlet pipe (mixed water) downstream of any built-in mixer.

INWALL BODY

Concealed Inwall Mixer Diverter Body


MODEL #33961000

*Pure Freude
an Wasser*



Spare Parts

Pos.-nr.	Product Description	Order-nr.	Units per package
1	Cartridge	46048000	1



Pure Freude
an Wasser

GROHE

D

☎ +49 571 3989 333
impressum@grohe.de

A

☎ +43 1 68060
info-at@grohe.com

AUS

☎ +1300 054 945
grohe_australia@lixil.com

B

☎ +32 16 230660
info.be@grohe.com

BG

☎ +359 2 9719959
grohe-bulgaria@grohe.com

CAU

☎ +99 412 497 09 74
info-az@grohe.com

CDN

☎ +1 888 6447643
info@grohe.ca

CH

☎ +41 448777300
info@grohe.ch

CN

☎ +86 21 63758878

CY

☎ +357 22 465200
info@grome.com

CZ

☎ +420 277 004 190
grohe-cz@grohe.com

DK

☎ +45 44 656800
grohe@grohe.dk

E

☎ +34 93 3368850
grohe@grohe.es

EST

☎ +372 6616354
grohe@grohe.ee

F

☎ +33 1 49972900
marketing-fr@grohe.com

FIN

☎ +358 10 8201100
teknocalor@teknocalor.fi

GB

☎ +44 871 200 3414
info-uk@grohe.com

GR

☎ +30 210 2712908
nsapountzis@ath.forthnet.gr

H

☎ +36 1 2388045
info-hu@grohe.com

HK

☎ +852 2969 7067
info@grohe.hk

I

☎ +39 2 959401
info-it@grohe.com

IND

☎ +91 124 4933000
customercare.in@grohe.com

IS

☎ +354 515 4000
jonst@byko.is

J

☎ +81 3 32989730
info@grohe.co.jp

KZ

☎ +7 727 311 07 39
info-cac@grohe.com

LT

☎ +372 6616354
grohe@grohe.ee

LV

☎ +372 6616354
grohe@grohe.ee

MAL

☎ +1 800 80 6570
info-singapore@grohe.com

N

☎ +47 22 072070
grohe@grohe.no

NL

☎ +31 79 3680133
vragen-nl@grohe.com

NZ

☎ +09 573 0490
sales@robertson.co.nz

P

☎ +351 234 529620
commercial-pt@grohe.com

PL

☎ +48 22 5432640
biuro@grohe.com.pl

RI

☎ +62 21 2358 4751
info-singapore@grohe.com

RO

☎ +40 21 2125050
info-ro@grohe.com

ROK

☎ +82 2 559 0790
info-singapore@grohe.com

RP

☎ +63 2 8041617

RUS

☎ +7 495 9819510
info@grohe.ru

S

☎ +46 771 141314
grohe@grohe.se

SGP

☎ +65 6 7385585
info-singapore@grohe.com

SK

☎ +420 277 004 190
grohe-cz@grohe.com

T

☎ +66 2610 3685
info-singapore@grohe.com

TR

☎ +90 216 441 23 70
GroheTurkey@grome.com

UA

☎ +38 44 5375273
info-ua@grohe.com

USA

☎ +1 800 4447643
us-customerservice@grohe.com

VN

☎ +84 8 5413 6840
info-singapore@grohe.com

AL

BIH

HR

KS

ME

MK

SLO

SRB

☎ +385 1 2911470
adria-hr@grohe.com

**Eastern Mediterranean,
Middle East - Africa
Area Sales Office:**

☎ +357 22 465200
info@grome.com

IR

OM

UAE

YEM

☎ +971 4 3318070
grohedubai@grome.com

Far East Area Sales Office:

☎ +65 6311 3600
info@grohe.com.sg