


ONA




Roca



Must be installed to the requirements of AS/NZS 3500 by suitably qualified personnel.
All basin and sink mixers to be installed with isolating stop valves.
Not suitable for gravity fed supply.



 P 	P Kpa	 MAX 1000Kpa	
 P 	P Kpa	MAX 500Kpa  MIN 150Kpa	 3 2 
  T	°C	 80 MAX.	 65 50 
 Q (300Kpa)	l/min	 4.5	 20




Ona Basin Mixer 6* LF

A5A3A9E


Ona Basin Mixer Mid 6* LF

A5A3C9E



Ona Extended Basin Mixer 6* LF



A5A349E







Ona Wall Basin /Bath Mixer Set LF

A5E3501 + **A5A359E**





Select aerator depending on application Basin Aerator 6 * Bath Aerator







Ona Shower Mixer

A5A229E



Ona Bath/Shower Mixer with Diverter



A5A069E





Ona Gooseneck Sink Mixer with Pull Out spray 6*LF


A5A811F











Ona Gooseneck Sink Mixer 6*LF


A5A841F






A5A811F







0%



100%





1- AG02298..R	18- AG0230300R	36- AG02333..R
2- AG02299..R	19- AG0264400R	37- AG0265500R
3- AG0230000R	20- AG01457..R	38- AG0213400R
4- AG0269400R	21- AG02287..R	39- AG02337..R
5- AG0130107R	22- AG02166..R	40- AG0031803R
6- AG02649..R	23- AG0228800R	41- AG0224300R
7- AG0265100R	24- AG0110607R	42- AG0265100R
8- AG0268700R	25- AG01195..R	43- AG0265800R
9- AG0225400R	26- AG01217..R	44- AG0134907R ^(x2)
10- AG0264700R ^(HOT)	27- AG01196..R	45- AG0269100R
AG0265200R ^(COLD)	28- AG02186..R	46- AG02654..R
11- AG0244500R	29- AG0268900R	47- AG0265600R
12- AG02696..R	30- AG00038..R	48- AG02646..R
13- AG02305..R	31- AG0269000R	49- AG0122107R
14- AG0269500R	32- AG02140..R	
15- AG02306..R	33- AG02340..R	
16- AG02302..R	34- AG0265600R	
17- AG02304..R	35- AG02332..R	

