

SPECIFICATION

| SPECIFICATION | |
|--------------------|---|
| Rim configuration | Box rim |
| Bowl configuration | Available in P and S Trap |
| Set out | P Trap: 185mm, S Trap: 100-115mm |
| Pan fixing | Screwed to floor brackets and bedded with sealant |
| Seat | Soft-close matching seat |
| Flushing | 4.5/3 ltr flush, 3.4 Av ltr flush |
| WELS | 4 Star WELS Rating |
| Standards | AS1172.1 |

| FEATURES | |
|-----------------|--------------------------------|
| Recommended Use | Domestic, hotel and commercial |
| Weight | 30.9kg |
| Finish | LAUFEN Clean Coat |

To see the complete LAUFEN range go to www.reece.com.au/bathrooms

CLEANING RECOMMENDATIONS

Soapy water or approved bathroom cleaners. This bathroom product should not be cleaned with abrasive materials. Damage caused by any improper treatment is not covered by the product warranty. Refer to Warranty Conditions.




Disclaimer: Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors. Tech Page Version 1





INSTALLATION PAN





Plumbers, please ensure a copy of the installation instructions is left with the end user for future reference






INSTALLATION PAN BEND













* Lubricant

* Lubricant

