

Roca

MULTICLEAN



A804001009

A804002009

A804004009




A804006009




A804007009

A804008009

A804014009

A804015009







*** SEAT NOT RECOMMENDED FOR INSTALLATIONS WHERE WATER SUPPLY MINI STOP IS LOCATED ON OPPOSITE SIDE OF PAN TO MULTICLEAN SEAT INLET.**





1-7 bar




*** GPO MUST BE INSTALLED BY QUALIFIED PERSONNEL IN ACCORDANCE WITH AS/NZS 3000 WIRING RULES**



220-240V~



A



B



C



D




E




F

Remote model only





1.




WEIGHT
5kg


MODEL	L
ROUND	480
SQUARE	490
SOFT	480

(mm)


2.



3.



4.





(mm)

5.




A




6.




B




7.




8.




9.



10.



11.



2ES420021101 INSTALL GUIDE ROCA BS28 220V(AU) 202005



Roca Sanitario, S.A.
Avda. Diagonal, 513
08029 Barcelona
SPAIN
www.roca.com

933
661
266

LÍNEA DE ATENCIÓN
AL CONSUMIDOR
ESPAÑA
SERVICIO TÉCNICO
ESPAÑA



productsupport.rs@roca.net
soporteproducto.rs@roca.net