


# ROCA

## THE GAP WALL FACED PAN



Dimensions are nominal measurements only

### SPECIFICATIONS

<b>Recommended Use</b>	Domestic, hotel and commercial
<b>Rim Configuration</b>	Box Rim
<b>Bowl Configuration</b>	P Trap (Converts to S using plastic S-bend provided)
<b>Set Out</b>	P Trap: 180mm, S Trap: 95mm
<b>Pan Fixing</b>	Screwed to the floor using brackets (supplied) and bedded with sealant
<b>Seat</b>	Matching top-fix, soft-close, quick-release seat supplied with pan
<b>Flushing</b>	4.5/3 litre dual flush
<b>Weight</b>	Pan: 25.5kg




To see the complete Roca range go to  
[www.reece.com.au/bathrooms](http://www.reece.com.au/bathrooms)

### CLEANING RECOMMENDATIONS

Soapy water or approved bathroom cleaners.

This bathroom product should not be cleaned with abrasive materials.

Damage caused by any improper treatment is not covered by the product warranty, refer to Warranty Conditions.



**Disclaimer:** Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.



Tech Page Version 3



# ROCA


## THE GAP WALL FACED PAN

### INSTALLATION INSTRUCTIONS




\* For DAMA SENSO this dimension is 335 mm

#### S-TRAP



RANGE	X (mm)
DAMA	95
DEBBA	
HALL	
MERIDIAN	
The GAP	
DAMA SENSO	95 (min) 125 (max)

#### P-TRAP



RANGE	Y (mm)
DAMA	95
DEBBA	
HALL	
MERIDIAN	
The GAP	
DAMA SENSO	125

Plumbers, please ensure a copy of the installation instructions is left with the end user for future reference

# ROCA

## THE GAP WALL FACED PAN

### INSTALLATION INSTRUCTIONS

