

# MAGI@TOUCH<sup>®</sup>

## Controller suite

Seeley International has designed the most advanced technology to give you full control of your coolers in the smartest way.

INTRODUCING

## Wi-Fi Smart App

Operate your system from anywhere, with your mobile device and Internet connection.



# MAGIQTOUCH<sup>®</sup>

## Controller suite



Easy to connect, all products of the MagiQtouch<sup>®</sup> Controller suite are also easy to install & intuitive. **Not just Supercool, but SuperSmart!**

## Wi-Fi App



### NEW!!

Now you can control your Breezair Evaporative cooler remotely using your smart devices.

The intuitive and easy to use MagiQtouch App gives you full control of your evaporative cooling system.



Syncing with the innovative MagiQtouch wall controller, you can:

- Operate your system from anywhere
- Adjust fan speed
- Adjust temperature
- Set “free-cooling” mode
- Override program mode
- Display indoor & outdoor temperatures

Available for download now  
on iOS and Android



# MAGIQTOUCH<sup>®</sup>

## Controller suite



## MagIQtouch controller



Control the temperature, fan speed and many more features on a user friendly touch screen



Ability to control up to 60 coolers from a single MagIQtouch Controller



Pin access – select a pin code to control access to your controller



Program Mode – 7 day, 4 time period program, customisable to suit your needs (inc. temporary over-ride function)



BMS interface as optional with analogue and digital inputs



Fault detection and optimization for maintenance

## Air sensors



### External Air Sensor

- Measures current outside temperature
- Intuitively optimises water and energy usage based on outside ambient conditions
- Extends the life of the cooler by automatically draining the water tank when temperature nears freezing

### Internal Air Sensor

- Measures internal temperature
- Measures internal humidity
- To be installed in the area that you need to cool



# MAGIQTOUCH®

Next generation smart controller




## BMS connectivity

	M1	MS1 master	MS1 slave
Requires MagIQtouch controller	No	No	Yes
No. of coolers	Unlimited	Unlimited	Unlimited
No. of required devices	1 per cooler	1 per cooler	1 per MagIQtouch controller
Inputs	<ul style="list-style-type: none"> <li>Cooler on/off</li> <li>Cool/Vent mode</li> <li>Manual drain on</li> <li>Emergency shutdown</li> <li>Fan speed settings</li> </ul>	<ul style="list-style-type: none"> <li>Cooler on/off</li> <li>Cool/Vent mode</li> <li>Fan speed settings</li> </ul>	<ul style="list-style-type: none"> <li>Controller selection (MagIQtouch or MS1)</li> <li>Cool/Vent mode</li> <li>Fan speed settings</li> </ul>
Outputs	<ul style="list-style-type: none"> <li>Error status</li> <li>Error code (LED flashing)</li> <li>Drain status</li> <li>Actual fan speed</li> </ul>	<ul style="list-style-type: none"> <li>Error status</li> <li>Error code (LED flashing)</li> <li>Actual fan speed</li> </ul>	<ul style="list-style-type: none"> <li>Error status</li> <li>Error code (LED flashing)</li> <li>Actual fan speed</li> </ul>
Power Supply	24V DC	12V DC	12V DC

## Example of connectivity

For all connectivity options, please refer to the installation manual.



[eurossales@seeleyinternational.com](mailto:eurossales@seeleyinternational.com)  
[uksales@seeleyinternational.com](mailto:uksales@seeleyinternational.com)

[www.seeleyinternational.com](http://www.seeleyinternational.com)



**Seeley International France**  
 320 Avenue Berthelot  
 69371 Lyon Cedex 08  
 France  
 Phone: +33 (0) 472 7847 80

**Seeley International Italy**  
 Loc. Policiano 72/M  
 52100 Arezzo Italy  
 Phone: +39 (0) 575 97189

**Seeley International UK**  
 Unit 11 Byron Business Centre,  
 Duke Street  
 Hucknall Nottingham  
 NG15 7HP United Kingdom  
 Phone: +44 (0) 115 9635630

