


# LAUFEN

## ILBAGNOALESSI One

### WALL HUNG PAN



#### SPECIFICATION

<b>Rim configuration</b>	Box rim
<b>Bowl configuration</b>	Available in P Trap
<b>Set out</b>	P Trap: 225mm
<b>Pan fixing</b>	Wall fixing
<b>Seat</b>	Soft-close matching seat
<b>Flushing</b>	4.5/3 ltr flush, 3.3 Av ltr flush
<b>WELS</b>	4 Star WELS Rating
<b>Standards</b>	AS1172.1

#### FEATURES


<b>Recommended Use</b>	Domestic, hotel and commercial
<b>Weight</b>	29.2 kg
<b>Finish</b>	LAUFEN Clean Coat



To see the complete LAUFEN range go to [www.reece.com.au/bathrooms](http://www.reece.com.au/bathrooms)

#### CLEANING RECOMMENDATIONS

Soapy water or approved bathroom cleaners. This bathroom product should not be cleaned with abrasive materials. Damage caused by any improper treatment is not covered by the product warranty. Refer to Warranty Conditions.



**Disclaimer:** Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.

Tech Page Version 1

**LAUFEN**  
Bathroom Culture since 1892 [www.laufen.com](http://www.laufen.com)




# LAUFEN

## ILBAGNOALESSI One


### WALL HUNG PAN

## INSTALLATION


### Parts list



### Preparation



### Assembly procedure




Fastening material

Plumbers, please ensure a copy of the installation instructions is left with the end user for future reference





# LAUFEN

## ILBAGNOALESSI One



### WALL HUNG PAN



\* Lubricant for rubber



## MAINTENANCE INSTRUCTIONS



The surface is simple to clean and care for. The smooth surface hardly accumulates any dirt. Use soft cloth, soapy solution and water for regular care. Wipe with a dry cloth. Avoid the use of abrasives or solvents, which damage the surface. Damage caused by inappropriate treatment by the user, is not covered by our guarantee.