


Data sheet

valid from: 1/18/18



Plain End Pipe - 20 ft lengths

- Refer to Industrial PLUS for sizes 1/8", 1/4", 3/8", 3-1/2", 5", 14"-24"
- Max Water Pressure at 73°F (22.7°C) with solvent-cemented joints
- Meets NSF[®]-pw-G
- Non - CSA Approved

Inch (inch)	P/L	Plain End Code	Lift Qty. (20ft Lgths) (ft)	Average O.D. (inch)	Min. Wall (inch)	Wt/Ft (lbs/ft)	Max Water Pressure (psi)
1/2	H18	H0800050PG2000	5700	0.840	0.147	0.202	850
3/4	H18	H0800075PG2000	5260	1.050	0.154	0.273	690
1	H18	H0800100PG2000	4280	1.315	0.179	0.402	630
1 1/4	H18	H0800125PG2000	2360	1.660	0.191	0.554	520
1 1/2	H18	H0800150PG2000	2060	1.900	0.200	0.673	470
2	H18	H0800200PG2000	1660	2.375	0.218	0.932	400
2 1/2	H18	H0800250PG2000	1080	2.875	0.276	1.419	420
3	H18	H0800300PG2000	840	3.500	0.300	1.903	370
4	H18	H0800400PG2000	520	4.500	0.337	2.782	320
6	H18	H0800600PG2000	340	6.625	0.432	5.313	280
8	H18	H0800800PG2000	220	8.625	0.500	8.058	250
10	H18	H0801000PG2000	80	10.750	0.593	11.956	230
12	H18	H0801200PG2000	60	12.750	0.687	16.437	230

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>