

### **SPECIFICATIONS**

Recommended Use	Domestic, Hotel & Commercial				
Vanity Cabinet Material	American Oak veneer (19mm)				
Vanity Frame Material	2 Pack Polyurethane on High Moisture Resistant MDF				
Drawer Design	Soft close drawer/s				
Benchtop Material	Corian (12mm)				
Handles Material	American Oak surround with American Oak, Corian or Marble inlay				
Colour Variations (Prices may vary)	Please refer to the Colour, Finish and Material Variations Document on the Website for more information.				
Fixing	Bolted / Screwed to Wall by a Licensed Trades Person (not included)				
Basin	Sold Separately, refer to Brochure				
Tapware	Sold Separately. Compatible with Wall mounted tapware				
Features	One Internal Drawer (excludes 500 & 600W)				



To see the complete Issy range go to www.reece.com.au/bathrooms

STANDARD SIZES	BL2-VU500	BL2-VU600	BL2-VU1000	BL2-VU1200	BL2-VU1500	BL2-VU1800	BL2-VU2000
Width (mm)	500	600	1000	1200	1500	1800	2000
Depth (mm)	450	450	450	450	450	450	450
Height (mm)	450	450	450	450	450	450	450
Number of Drawers	1	1	2	2	3	3	4
Basin Options	1	1	1	1	1-2	1-2	1-2


CUSTOM DEPTH	BL2-VU500-	BL2-VU600-	BL2-VU1000-	BL2-VU1200-	BL2-VU1500-	BL2-VU1800-	BL2-VU2000-
	DEPTH	DEPTH	DEPTH	DEPTH	DEPTH	DEPTH	DEPTH
Depth (mm)	400-500	400-500	400-500	400-500	400-500	400-500	400-500

Disclaimer: Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors. Published 14/03/2024




### **STANDARD SIZES**


500mm





600mm



### 1000mm








**SIDE VIEW** for 1000, 1200, 1500, 1800 & 2000 \*Please note: One internal drawer included, placement opposite waste cutout.




# **STANDARD SIZES**


#### 1200mm




#### 1500mm



### 1800mm



### 2000mm







**Specification Sheet** 

### **CUSTOM DEPTH**


500mm




600mm



### 1000mm






12MM CORIAN WITH STRAIGHT EDGE BLOSSOM HANDLE WITH \*SOFT CLOSE RUNNERS \*\*DEEP DRAWER WITH ONE INTERNAL DRAWER

**SIDE VIEW** for 1000, 1200, 1500, 1800 & 2000 \*Please note: One internal drawer included, placement opposite waste cutout.




# **CUSTOM DEPTH**


#### 1200mm




### 1500mm



### 1800mm



#### 2000mm







**Specification Sheet** 




### **STANDARD - RECOMMENDED FOR COUNTER BASINS 120DIA CORIAN CUTOUT**


### 500 - 600W: CENTRAL ONLY







### 1000W: CENTRE VOID | OFFSET LEFT & RIGHT










#### 1200W: CENTRE VOID | OFFSET LEFT & RIGHT










#### 1500W: CENTRAL & DOUBLE BASIN I OFFSET LEFT & RIGHT













## **STANDARD - RECOMMENDED FOR COUNTER BASINS 120DIA CORIAN CUTOUT**

### 1800W: CENTRAL & DOUBLE BASIN | OFFSET LEFT & RIGHT



### 2000W: DOUBLE BASIN | OFFSET LEFT & RIGHT












**ROCA INSPIRA SOFT SQUARE SEMI-INSET & ROCA INSPIRA ROUND SEMI-INSET 340DIA CORIAN CUTOUT** 


### 500 - 600W: CENTRAL ONLY







### 1000W: CENTRE VOID | OFFSET LEFT & RIGHT










### 1200W: CENTRE VOID | OFFSET LEFT & RIGHT









#### 1500W: CENTRAL & DOUBLE BASIN | OFFSET LEFT & RIGHT













**ROCA INSPIRA SOFT SQUARE SEMI-INSET & ROCA INSPIRA ROUND SEMI-INSET 340DIA CORIAN CUTOUT** 

## 1800W: CENTRAL & DOUBLE BASIN | OFFSET LEFT & RIGHT





### 2000W: DOUBLE BASIN | OFFSET LEFT & RIGHT

