


RAINSHOWER SMARTACTIVE
ROUND WALL SHOWER
MODEL # 26475GN0

Product Specifications


Pure Freude
an Wasser



Product Description:

Rainshower SmartActive 310
Head shower set 430 mm wall arm
2 sprays consisting of:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight PVD Brushed Cool Sunrise
SpeedClean anti-lime system
Inner WaterGuide for a longer life

Requires rough-in set 26 484 000 - to be ordered separately



Installation instructions

Diagram showing preparation steps and requirements:

- Water temperature adjustment: Hot water tap icon, thermometer icon with a plus sign, and a bucket icon.
- Pressure requirements: A gauge icon labeled "kPa" with "MIN 150" and "MAX 500".
- Temperature range: A thermometer icon labeled "max. 70°" and a thumbs-up icon labeled "60°".
- Tools: A spirit level, an Allen key, and a utility knife.
- Wall structure: A cross-section diagram of a wall with a shower pan, labeled "300 kPa:" with an exclamation mark.

1


Diagram illustrating the first step of installation:


- The shower pan is being prepared on the wall.
- Drill holes are shown for the mounting hardware.
- Hardware components (screws, washers, and a spacer) are shown being inserted into the wall.
- A warning icon shows a trash bin with a cross through it, indicating that the original wall hardware should be removed.
- A 5mm spacer is shown being inserted into the wall.

2

Diagram illustrating the second step of installation:

- The shower pan is being attached to the wall.
- Hardware components (screws, washers, and a spacer) are shown being inserted into the wall.
- A warning icon shows a hand holding a tool with a cross through it, indicating that the shower pan should not be touched or damaged.
- A 5mm spacer is shown being inserted into the wall.





Installation Instructions

This shower is suitable for use with high pressure water applications. Using this product in conjunction with gravity-fed water heaters, low and unequal pressure supply systems, tempering valves & thermostatic mixing valves may result in unsatisfactory performance.

Suitable for High Pressure applications 150kPa – 500kPa

Care must be taken by the installing tradesperson to ensure connecting threads do not damage the flow controller when installing this product.




The installation tradesperson must ensure they install this product in accordance with AS/NZS 3500 and all other relating AS/NZS regulations that apply to the installation of this product.

Maximum static pressure of 500kPa.



For applications where 500kPa static pressure is exceeded, a suitably certified pressure limiting valve must be installed to prevent high pressure damaging this product.



48166000



SpeedClean



Pure Freude
an Wasser

GROHE


D

+49 571 3989 333
impressum@grohe.de

A

+43 1 68060
info-at@grohe.com

AUS

+1300 054 945
grohe_australia@lixil.com

B

+32 16 230660
info.be@grohe.com

BG

+359 2 9719959
grohe-bulgaria@grohe.com

CAU

+99 412 497 09 74
info-az@grohe.com

CDN

+1 888 6447643
info@grohe.ca

CH

+41 448777300
info@grohe.ch

CN

+86 21 63758878

CY

+357 22 465200
info@grome.com

CZ

+420 277 004 190
grohe-cz@grohe.com

DK

+45 44 656800
grohe@grohe.dk

E

+34 93 3368850
grohe@grohe.es

EST

+372 6616354
grohe@grohe.ee

F

+33 1 49972900
marketing-fr@grohe.com

FIN

+358 10 8201100
teknocalor@teknocalor.fi

GB

+44 871 200 3414
info-uk@grohe.com

GR

+30 210 2712908
nsapountzis@ath.forthnet.gr

H

+36 1 2388045
info-hu@grohe.com

HK

+852 2969 7067
info@grohe.hk

I

+39 2 959401
info-it@grohe.com

IND

+91 124 4933000
customercare.in@grohe.com

IS

+354 515 4000
jonst@byko.is

J

+81 3 32989730
info@grohe.co.jp

KZ

+7 727 311 07 39
info-cac@grohe.com

LT

+372 6616354
grohe@grohe.ee

LV

+372 6616354
grohe@grohe.ee

MAL

+1 800 80 6570
info-singapore@grohe.com

N

+47 22 072070
grohe@grohe.no

NL

+31 79 3680133
vragen-nl@grohe.com

NZ

+09 573 0490
sales@robertson.co.nz

P

+351 234 529620
commercial-pt@grohe.com

PL

+48 22 5432640
biuro@grohe.com.pl

RI

+62 21 2358 4751
info-singapore@grohe.com

RO

+40 21 2125050
info-ro@grohe.com

ROK

+82 2 559 0790
info-singapore@grohe.com

RP

+63 2 8041617

RUS

+7 495 9819510
info@grohe.ru

S

+46 771 141314
grohe@grohe.se

SGP

+65 6 7385585
info-singapore@grohe.com

SK

+420 277 004 190
grohe-cz@grohe.com

T

+66 2610 3685
info-singapore@grohe.com

TR

+90 216 441 23 70
GroheTurkey@grome.com

UA

+38 44 5375273
info-ua@grohe.com

USA

+1 800 4447643
us-customerservice@grohe.com

VN

+84 8 5413 6840
info-singapore@grohe.com

AL **BIH** **HR** **KS**

ME **MK** **SLO** **SRB**

+385 1 2911470
adria-hr@grohe.com

**Eastern Mediterranean,
Middle East - Africa
Area Sales Office:**

+357 22 465200
info@grome.com

IR **OM** **UAE** **YEM**

+971 4 3318070
grohedubai@grome.com

Far East Area Sales Office:

+65 6311 3600
info@grohe.com.sg