

Capillary

SPECIFICATIONS

Maximum Operating Pressure	1400kPa
Maximum Operating Temperature	95°C
Material	DR (Dezincification Brass)
Standards	AS 3688 - Water supply and gas systems - Metallic fittings and end connections
Watermarked Certification	WMKA01972
Surface Finish	Brass Finish or Chrome Plated



CAPILLARY (W62) STRAIGHT TAP CONNECTOR

Product Number	Product Description
404240	CAPILLARY W62 STR TAP CONN 15 X 15MM
404244	CAPILLARY W62 STR TAP CONN 20 X 20MM



CAPILLARY (W63) BENT CONNECTOR

Product Number	Product Description
404270	CAPILLARY W63 BENT CONN 15 X 15MM



CAPILLARY (W69) STRAIGHT CONNECTOR MALE

Product Number	Product Description
404320	CAPILLARY W69 CONN 15 OD X 15MM MI
404330	CAPILLARY W69 CONN 20 OD X 20MM MI
404340	CAPILLARY W69 CONN 25 OD X 25MM MI



CAPILLARY (W69) STRAIGHT CONNECTOR FEMALE

Product Number	Product Description
404347	CAPILLARY W69F CONN 15 OD X 15MM FI
404348	CAPILLARY W69F CONN 20 OD X 20MM FI
404350	CAPILLARY W69F CONN 25 OD X 25MM FI



Disclaimer: Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.

Published 12/12/2019

Don't risk it, use a licensed plumber.™

WaterMark
AS 3688
WMKA01972

reece

Capillary

SPECIFICATIONS

Maximum Operating Pressure	1400kPa
Maximum Operating Temperature	95°C
Material	DR (Dezincification Brass)
Standards	AS 3688 - Water supply and gas systems - Metallic fittings and end connections
Watermarked Certification	WMKA01972
Surface Finish	Brass Finish or Chrome Plated



CAPILLARY (W13) ELBOW MALE

Product Number	Product Description
403520	CAPILLARY W13 ELBOW 15 X 15MM MI
403530	CAPILLARY W13 ELBOW 20 X 20MM MI



CAPILLARY (W14) ELBOW FEMALE

Product Number	Product Description
403600	CAPILLARY W14 ELBOW 15 X 15MM FI
403615	CAPILLARY W14 ELBOW 20 X 15MM FI
403610	CAPILLARY W14 ELBOW 20 X 20MM FI



CAPILLARY (W15) ELBOW FEMALE

Product Number	Product Description
403670	CAPILLARY W15BP ELBOW 15 X 15MM FI
403685	CAPILLARY W15BP ELBOW 20 X 15MM FI
403680	CAPILLARY W15BP ELBOW 20 X 20MM FI



CAPILLARY (W19BP) BACK PLATED ELBOW MALE

Product Number	Product Description
403720	CAPILLARY W19BP ELBOW 15 X 15MM MI (W4)
403715	CAPILLARY W19BP ELBOW 15 X 15MM MI(95MM)
403730	CAPILLARY W19BP ELBOW 20 X 15MM MI



Disclaimer: Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.

Published 12/12/2019

Don't risk it, use a licensed plumber.™

WaterMark
AS 3688
WMKA01972

reece

Capillary

SPECIFICATIONS	
Maximum Operating Pressure	1400kPa
Maximum Operating Temperature	95°C
Material	DR (Dezincification Brass)
Standards	AS 3688 - Water supply and gas systems - Metallic fittings and end connections
Watermarked Certification	WMKA01972
Surface Finish	Brass Finish or Chrome Plated



CAPILLARY (W2) CONNECTOR FEMALE	
Product Number	Product Description
403125	CAPILLARY W2 CONN 20 X 15MM FI



CAPILLARY (W3) CONNECTOR MALE	
Product Number	Product Description
403200	CAPILLARY W3 CONN 15 X 15MM MI
403215	CAPILLARY W3 CONN 20 X 20MM MI
403220	CAPILLARY W3 CONN 20 X 15MM MI



CAPILLARY (W5) WINGED CONNECTOR MALE	
Product Number	Product Description
405300	CAPILLARY W5 WINGED CONNECTOR 15MI X 15C



Disclaimer: Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.

Published 12/12/2019

Don't risk it, use a licensed plumber.™

