



# NON-RATED METAL ACCESS PANELS RANGE

Our APMs are premium quality, all pre-primed white as standard with steel panel doors and frames and range of lock options available.

## KEY FEATURES



- Designed for easy install
- White primed steel frame and panel
- Durable interchangeable cam locks
- Flange options
- Lock options
- Made locally & fully customisable

## APPLICATIONS



## TRADES



# TABLE OF CONTENTS



Section		Page
	Specifications	3
	Custom Access Panels	4
	System Range - Flanged Edge (Picture Frame)	5
	System Range - Wet Wall (Set Bead)	6
Installation	Plasterboard	7
	Masonry	8
Technical Drawing	APM Technical Drawing - Plasterboard / Masonry	9
	TLM Technical Drawing - Plasterboard / Masonry	10
	FAQ	11

# METAL ACCESS STANDARD RANGE



Click  
here to go back to  
Contents


## SPECIFICATIONS



The Trafalgar Access difference		TRAFALGAR ACCESS	Others
Door Panel	Pre-primed white steel frame and panel as standard	✓	?
Frame	Fully welded, fully primed, steel frame Flanged Edge/Feathered Edge (picture frame) and Wet Wall/Set Bead (plastering flush frame) <b>APM</b> - Full profile: 54mm Low profile: 30mm (used for sizes 600 x 600mm and under) <b>TLM</b> - Full profile: 65mm, Low profile: 42mm	✓	?
Nominally Sized	Easy install sizing, a 450 x 450mm access panel is manufactured at 445 x 445mm for good fitment in a 450 x 450mm cutout	✓	?
Mounting Tabs	Easy to use pre-installed fixing tabs for simple installation	✓	?
Hinge	Fully concealed pin hinges Piano hinges standard on larger size panels	✓	?
Durable Cam Locks	Durable cam locks without circlips to prevent locks dropping out. Our cam locks are also interchangeable. Standard ranges come in: <ul style="list-style-type: none"> <li><b>APM:</b> Square allen key cam lock   Key cam lock (security)</li> <li><b>TLM:</b> Touch latch (concealed)</li> </ul>	✓	?
Packaging	Packaged to avoid freight damage	✓	?
Customisation Available	Double or single doors Stainless Steel Oversized and odd shapes Custom locks	✓	?

*Trafalgar Access also supply a comprehensive range of fire rated, acoustic, customwood, security and specialty access panels.*

PERSPEX



DOUBLE DOORS



# MADE LOCALLY MEANS VERSATILITY



SPECIALIST LATCHES



COLOURS



## We can help you with your special projects!

OVERSIZED



**Customisation options include:**

[Click here to go back to Contents](#)


- 🔑 A huge range of sizes including odd shapes and oversized
- 🔑 Single and double doors
- 🔑 Flanges, latches, and hinges
- 🔑 Panel material - including stainless steel
- 🔑 Colour options

All this made locally means fast turn around.

Talk to the Trafalgar Team today to design your custom Access Panel.\*

\*Customisation options limited for Acoustic and Fire Rated Access Panel ranges.

ODD SHAPES



# Frame Type

## FLANGED EDGE (FEATHERED EDGE)

Picture Frame



Frame detail



Panel installed  
(TLM Shown)



## STANDARD STOCK

Click  
here to go back to  
Contents

Model	Panel FE Panel door + picture frame primed white	Lock	Item Number	Dimensions (mm)	Frame Profile	
					Low Profile 30mm	Full Profile 54mm
APM		Square allen key cam lock 	APM- 200-FE	200 x 200	✓	
			APM- 300-FE	300 x 300	✓	
			APM- 400-FE	400 x 400	✓	
			APM- 450-FE	450 x 450	✓	
			APM- 530-FE	530 x 530	✓	
			APM- 550-FE	550 x 550	✓	
			APM- 600-FE	600 x 600	✓	
			APM- 12060-FE	1200 x 600		✓
APM-KC		Key cam lock (security) 	APM-KC-300-FE	300 x 300	✓	
			APM-KC-450-FE	450 x 450	✓	
			APM-KC-530-FE	530 x 530	✓	
			APM-KC-550-FE	550 x 550	✓	
			APM-KC-600-FE	600 x 600	✓	
TLM		Touch latch (concealed) 	TLM-300-FE	300 x 300	Low Profile 42mm	Full Profile 65mm
			TLM-450-FE	450 x 450	✓	
			TLM-530-FE	530 x 530	✓	
			TLM-550-FE	550 x 550	✓	
			TLM-600-FE	600 x 600	✓	

# Frame Type WET WALL (SET BEAD)

Concealed Frame



Frame detail



Panel installed  
(TLM Shown)



Click here to go back to Contents

## STANDARD STOCK


Model	Panel WW Panel door + picture frame primed white	Lock	Item Number	Dimensions (mm)	Frame Profile	
					Low Profile 30mm	Full Profile 54mm
APM		Square allen key cam lock 	APM-200-WW	200 x 200	✓	
			APM- 300-WW	300 x 300	✓	
			APM- 400-WW	400 x 400	✓	
			APM- 450-WW	450 x 450	✓	
			APM- 530-WW	530 x 530	✓	
			APM- 550-WW	550 x 550	✓	
			APM- 600-WW	600 x 600	✓	
			APM- 12060-WW	1200 x 600		✓
APM-KC		Key cam lock (security) 	APM-KC -300-WW	300 x 300	✓	
			APM-KC-450-WW	450 x 450	✓	
			APM-KC-530-WW	530 x 530	✓	
			APM-KC-550-WW	550 x 550	✓	
			APM-KC- 600-WW	600 x 600	✓	
TLM		Touch latch (concealed) 	TLM-300-WW	300 x 300	✓	Low Profile 42mm
			TLM-450-WW	450 x 450	✓	
			TLM-530-WW	530 x 530	✓	
			TLM-550-WW	550 x 550	✓	
			TLM-600-WW	600 x 600	✓	

# INSTALLATION METAL ACCESS PANELS

## PLASTERBOARD



### MARK



Mark and cut out hole the same size as the access panel. You can use the panel as the template. For a 600 x 600mm nominal APM, the ideal cutout size is 600 x 600mm.



### PREPARE



The opening must be framed with studs/noggings to affix the panel to.

Click here to go back to Contents



### FIT



With the door open, screw the frame into the wall/ceiling through the pre-formed fixing holes provided (200mm centres recommended).



### FIX



Fixings must be appropriate for the barrier- Min. 7g screws for framed wall.

# INSTALLATION METAL ACCESS PANELS

## MASONRY



### MARK



Mark and cut out hole the same size as the access panel. You can use the panel as the template. For a 600 x 600mm nominal APM, the ideal cutout size is 600 x 600mm.



### FIT



With the door open, screw the frame into the wall/ceiling through the pre-formed fixing holes provided (400mm centres recommended).




### FIX



Fixings must be appropriate for the barrier - Min. 6mm masonry anchors for concrete/masonry wall.

Click  
here to go back to  
Contents




Click here to go back to Contents




### Frame Type

#### LOW PROFILE - 30mm DEPTH




**FLANGED EDGE (FEATHERED EDGE)** Picture Frame




**WET WALL (SET BEAD)** Concealed Frame

### Frame Type


#### FULL PROFILE - 54mm DEPTH




**FLANGED EDGE (FEATHERED EDGE)** Picture Frame



**WET WALL (SET BEAD)** Concealed Frame



**PLASTERBOARD**  
Install Profile




**MASONRY**  
Install Profile

Click here to go back to Contents




### Frame Type

#### LOW PROFILE - 42mm DEPTH




**FLANGED EDGE (FEATHERED EDGE)** Picture Frame




**WET WALL (SET BEAD)** Concealed Frame

### Frame Type


#### FULL PROFILE - 65mm DEPTH




**FLANGED EDGE (FEATHERED EDGE)** Picture Frame



**WET WALL (SET BEAD)** Concealed Frame



**PLASTERBOARD**  
Install Profile



**MASONRY**  
Install Profile

## FAQ

**Q Can we install this panel into a floor?**

**A** No, these metal access panels are for wall and ceiling applications only.

**Q Can you fit a smoke seal to this panel?**

**A** Yes, access panels can be custom manufactured to your size requirements and a smoke seal fitted. Call the Trafalgar Access team on 1800 888 714 to discuss.

**Q Can we use this panel in a fire rated wall or ceiling?**

**A** No, these metal access panels are not fire rated. Please refer to our [website for our Fire Rated Access Panel](#) range.

**Q Do these panels have an acoustic rating?**

**A** No, these metal access panels do not have an acoustic rating. Please refer to our [website for our Acoustic Rated Access Panel](#) range.

**Q Can we install this panel externally?**

**A** A stainless steel panel is recommended for external use.

**Q I have an unusual shape and size requirement. Can you manufacture a bespoke panel?**

**A** Yes, access panels can be custom manufactured to your shape and size specifications.

**Q Can you manufacture a screw fixed Metal Access Panel?**

**A** Yes, call the Trafalgar Access team on 1800 888 714 to discuss.

**Q Can you fit a Perspex viewing window to the access panel door?**

**A** Yes we can. Call the Trafalgar Access team on 1800 888 714 to discuss.

**Q Can you punch/cut out sections in the access panel door for my specific requirements?**

**A** Yes we can. Call the Trafalgar Access team on 1800 888 714 to discuss.

Click  
here to go back to  
Contents



## SOCIAL MEDIA

Linked 

 YouTube

Trafalgar Access reserves the right to change specifications without notice. Please check with your supplier at the time of order. The information contained in this Product Manual was correct at the time of publication. E&OE.