




## Silverback PEX Clips 16-32mm

### SPECIFICATIONS

Suitable For	Suits Auspex, Evopex, Rehau, Sharkbite, Duopex and most other PEX systems on the Australian market
Product Type	PEX Clips
Size Range	16 - 32mm
Fixing Types	Masonry, Tek Screw, Twisted Nail, Anchor
Colour	Black, Yellow
Material	Manufactured from UV resistant material
Warranty	10 Years



PEX Clip



Masonry Nail



Tek Screw



Twisted Nail

### DIMENSIONS

Product Codes	Product Description	Size DN	H (mm)	W (mm)	D (mm)	Nail (mm)
510870	Silverback Pex Clip 16mm M/Nail (100)	16mm	20	25.7	13.9	45
510871	Silverback Pex Clip 20mm M/Nail (100)	20mm	24	30	14.7	55
510872	Silverback Pex Clip 25mm M/Nail (100)	25mm	34.5	39	14.8	55
510873	Silverback Pex Clip 32mm M/Nail (25)	32mm	43	46.9	16	70
510875	Silverback Pex Clip 16mm Tek Screw (100)	16mm	20	25.7	13.9	40
510876	Silverback Pex Clip 20mm Tek Screw (100)	20mm	24	30	14.7	50
510877	Silverback Pex Clip 25mm Tek Screw (100)	25mm	34.5	39	14.8	50
510878	Silverback Pex Clip 16mm T/Nail (100)	16mm	20	25.7	13.9	50
510879	Silverback Pex Clip 20mm T/Nail (100)	20mm	24	30	14.7	55
510880	Silverback Pex Clip 25mm T/Nail (100)	25mm	34.5	39	14.8	50

Dimensions are nominal measurements only.

**Disclaimer:** Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.

Published 19.11.2020







## Silverback PEX Clips with Tab 16-20mm

### SPECIFICATIONS

Suitable For	Suits Auspex, Evopex, Rehau, Sharkbite, Duopex and most other PEX systems on the Australian market
Product Type	PEX Clips
Size Range	16 - 20mm
Fixing Types	Masonry, Tek Screw & Twisted Nail
Colour	Black
Material	Manufactured from UV resistant material
Warranty	10 Years



PEX Clip with Tab



Masonry Nail

Tek Screw

Twisted Nail

### DIMENSIONS

Product Codes	Product Description	Size DN	H (mm)	W (mm)	W1 (mm)	D (mm)	Nail (mm)
510881	Silverback Pex Clip W/Tab 16mm M/Nail (100)	16mm	22	29	54	15.8	45
510882	Silverback Pex Clip W/Tab 20mm M/Nail (100)	20mm	26	31.7	67.5	16	55
510883	Silverback Pex Clip W/Tab 16mm T/Screw (100)	16mm	22	29	54	15.8	40
510884	Silverback Pex Clip W/Tab 20mm T/Screw (100)	20mm	26	31.7	67.5	16	50
510885	Silverback Pex Clip W/Tab 16mm T/Nail (100)	16mm	22	29	54	15.8	50
510886	Silverback Pex Clip W/Tab 20mm T/Nail (100)	20mm	26	31.7	67.5	16	55

Dimensions are nominal measurements only.

**Disclaimer:** Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.

Published 19.11.2020







## Silverback PEX Clip Anchor 16-20mm

### SPECIFICATIONS

Suitable For	Suits Auspex, Evopex, Rehau, Sharkbite, Duopex and most other PEX systems on the Australian market
Product Type	PEX Clips
Size Range	16 - 20mm
Fixing Types	Anchor
Colour	Black
Material	Manufactured from UV resistant material
Warranty	10 Years



PEX Clip Anchor



Masonry Nail

### DIMENSIONS

Product Codes	Product Description	Size DN	H (mm)	W (mm)	D (mm)	Nail (mm)
510887	Silverback Pex Clip 16mm Anchor (100)	16mm	45	28.4	14.1	45
510888	Silverback Pex Clip 20mm Anchor (100)	20mm	50	33.3	15	55

Dimensions are nominal measurements only.

**Disclaimer:** Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions are nominal measurements only. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.

Published 19.11.2020

