


LANARK

SHANTI - SQUARE BATH

1500 (w) x 1500 (d) x 515 (h) mm



SPECIFICATIONS

Recommended use	Domestic, hotel, commercial
Material	Continuous cast sanitary grade acrylic
Fixing	Within a hob
Overflow	Not included
Tap hole	Not included
Plug and Waste	Not included
Colour Availability	White
Capacity	350 Litres
Standards	Meets AS3558 1999



To see the complete Lanark range go to www.reece.com.au/bathrooms

CLEANING RECOMMENDATIONS

This bathroom product should not be cleaned with abrasive materials eg. steel wool/scourers. Do not use any corrosive or abrasive cleaning agents containing acids or scouring agents. Bleaches can also discolour products and therefore should not be used. Damage caused by any improper treatment is not covered by the product warranty- refer to Warranty Conditions on the last page.

Disclaimer: Products in this specification manual must by regulation be installed by licensed and registered trade people. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. Dimensions and set-outs listed are correct at time of publication however the manufacturer/distributor takes no responsibility for printing errors.

Tech version 2



LANARK

SHANTI - SQUARE BATH

INSTALLATION INSTRUCTIONS

IMPORTANT NOTICE

Please ensure that a water test is done prior to the final installation being completed. Lanark will only fix leaks or damaged pipework if it is easily accessible. Lanark will not accept any damage claims after installation. Remove protective plastic sheet to check for shell damage as no claim will be entertained by Lanark after installation has been completed.

CAUTION

THE FOLLOWING INSTRUCTIONS ARE INTENDED AS A GUIDE ONLY BECAUSE REGULATIONS VARY FROM AREA TO AREA. YOU MUST CHECK LOCAL AUTHORITY REQUIREMENTS PRIOR TO INSTALLATION.

BATH INSTALLATION


1. Build a framework of studs and noggings similar to that shown in the diagram but in accordance with local building regulations. A good fit for the front skirt framing can be achieved if set out on the upturned unit. Take care not to scratch the top of the bath. Refer to drawings A and B. The flange lip of the unit should overhang the frame by approximately 20mm to allow tiles and backing to slip behind the lip of the bath. Provision must be made for the flange lip on the wall bearers. Refer to Wall Detail Drawing D. Make sure that all pipework is unimpeded.
2. Wall studs may be checked in slightly to position so that wall tiles and sheeting will seal in front of the tile bead. This must be done in accordance with building guides and regulations. If studs are not recessed, the wall may require packing to produce correct tile backing.
3. The floor under the bath should be a concrete floor or fully supported timber floor. Place a sheet of waterproof plastic sheeting on the floor. The base of the bath is set into a concrete bed of (6:1) sand/cement slurry mix, a minimum

CHECK LIST

The layout of taps and waste outlet must be carefully considered to ensure that the layout is both functional and aesthetically pleasing. The top edge of the bath must be installed level to ensure proper drainage. Check flooring and framework and adjust if necessary. The pump must be installed level with the suction and return line of the spa. It must not be installed any higher or lower than the bath. Please read the separate pump installation instructions provided in the pump box. The base and sides of the base must be fully supported. The base must be bedded into cement slurry.

EXPANDABLE FOAM MUST NOT BE USED

- of 50mm thick. It must be wet enough to be pliable. At least 75% of the base of the bath must be supported. Expandable foam must not be used.
4. Trial fit the unit into position. If satisfactory, place a generous amount of silicone on all bearing surfaces around the unit frame. Now reposition the unit and jiggle gently into position to bed the unit into the cement slurry. Use a spirit level to ensure that the unit is completely level. Once in position do not move the unit or disturb the slurry because air gaps will be created and leave part of the base unsupported. The frame should support the coping of the bath all the way around. Note: DO NOT FILL THE BATH WITH WATER TO BE IT INTO THE SLURRY. THIS WILL HAVE THE EFFECT OF TARNISHING THE FITTINGS. IF THE WATER IS LEFT IN THE BATH FOR AN EXTENDED PERIOD OF TIME.
5. Place timber beams on the wall edges of the unit. See "Wall Detail D". This will ensure that the coping is fully supported.



LANARK

SHANTI - SQUARE BATH



REECE PRODUCT QUALITY GUARANTEE

You have purchased a quality product from Reece Pty Ltd ABN 84 004 097 090 ("Reece"). This product is covered by a 10 year replacement product warranty and a 12 month warranty over spare parts and labour.

10 YEAR WARRANTY – DOMESTIC USE

This warranty covers faults in the product construction, material and assembly. Products which are within 10 years from the date of purchase, found upon inspection by an authorised Reece representative, to be defective in construction, material or assembly, will be repaired or exchanged with an equivalent product free of charge. Replaced items become Reece's property.

All replacement products will be available for collection without charge to the customer at the nearest Reece branch to the customer's location, or elsewhere as agreed between the customer and Reece.

Labour and Spare Parts

The labour for the replacement of products and spare parts to which this warranty applies will be supplied by Reece or relevant supplier using licensed plumbers engaged by Reece or relevant supplier within 1 year from the date of purchase.

Spare parts other which are within 1 year from the date of purchase found upon inspection by an authorised Reece representative to be defective in construction, material or assembly, will be replaced free of charge.

Warranty Conditions

This warranty will apply only under all of the following conditions:

- The item has been installed by a licensed plumber
- The item has been installed for and subjected to domestic residential use only
- Failure is due to a fault in the manufacture of the product
- Proof of purchase (including the date of purchase) is provided
- The installation of the product is in accordance with the instructions provided

This warranty does not cover products purchased as an ex-display without being fully checked and tested for sale by the manufacturer.

This warranty does not include faults caused by:

- Unsuitable or improper use
- Incorrect installation or installation not in accordance with the instructions provided
- Installation or part installation by the purchaser or any person other than a LICENSED PLUMBER
- Normal wear and tear
- Inadequate or complete lack of maintenance
- Chemical, electrochemical or electrical influences
- Harsh detergents or abrasive cleaners used on product finishes

1 YEAR WARRANTY – COMMERCIAL USE

'Commercial' use is all use other than for normal domestic residential purposes, including use in non-business places as in public buildings, schools, sports centres and in establishments that contain private bathrooms with high frequency of use by many individuals, such as hotels, motels, retirement villages and hospitals.

The Commercial warranty covers this product against manufacturing faults in the construction, material and assembly of both the finished products and any spare parts for a period of 1 year from the date of purchase. Products and spare parts which are found upon inspection by an authorised Reece representative to be defective in construction, material or assembly will be repaired or exchanged free of charge. Replaced items become Reece's property. The labour for the replacement of products and spare parts to which this warranty applies will be supplied by Reece or relevant supplier using licensed plumbers engaged by Reece or relevant supplier. The Warranty Conditions and exclusions which apply to the domestic use warranty also apply to this commercial warranty.

EXCLUSIONS

To the fullest extent permitted by law, Reece excludes all liability for damage or injury to any person, damage to any property, and any indirect consequential or other loss or damage.

CLAIM PROCEDURE

For all warranty queries customers are to contact the branch where the product was purchased. These details can be found on your purchase invoice.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Don't risk it, use a licensed plumber.™

