

# VENICE FLOATING BENCH



The Venice Collection balances modern symmetry and classical beauty. Embodying organic design and finishes, flowing form and function with timeless style. Venice is contemporary luxury and is designed to be paired with the Venice basins and box frame mirror.

Designed and manufactured in Australia.

## SPECIFICATIONS

<b>Recommended Use</b>	Domestic, Hotel and Commercial
<b>Material</b>	Timber laminate on HMR board
<b>Colour</b>	Arlington Oak, Mali Wenge
<b>Fixing</b>	Bolted/screwed to wall by licensed trades person Supplied with easy to install brackets Installer to determine appropriate wall fixings
<b>Basin</b>	Sold separately
<b>Basin Cut Out</b>	To be cut by installer based on chosen basin
<b>Tap Hole Availability</b>	No



To see the complete OMVIVO range go to  
[www.reece.com.au/bathrooms](http://www.reece.com.au/bathrooms)

VARIATIONS	750	1000	1200	1500
Width mm	750	1000	1200	1500
Depth mm	550	550	550	550
Height mm	130	130	130	130

## VENICE FLOATING BENCH

### FLOATING BENCH OPTIONS




Arlington oak




Mali wenge


#### Venice 750 bench




#### Venice 1000 bench



#### Venice 1200 bench



#### Venice 1500 bench




---

### CLEANING RECOMMENDATIONS

Your furniture should be cleaned with a mild, non-acidic, non-abrasive detergent and soft cloth. Finish by cleaning off detergents with a soft slightly damp cloth and towel dry. Always clean spills and water immediately. It is important that the cleaning instructions for your solid surface basin are not carried out on the vanity as this will scratch the finish.

Damage caused by any improper treatment is not covered by the product warranty – refer to Warranty Conditions.

## VENICE FLOATING BENCH

### VENICE FLOATING BENCH INSTALLATION INSTRUCTIONS

**NO claims for damages / defects will be recognised after installation.**


***Prior to installation it is important to unpack and inspect your products to ensure no damage has occurred in transit and that the product IS CORRECT.***

***If damage has occurred, or a visible defect exists, do not proceed with installation and contact supplier IMMEDIATELY.***

Read all instructions beforehand. Pay particular attention to locations of plumbing, brackets and measuring up for these.

**Step 1.** Using a down cut laminate blade, cutout the appropriate void for selected basin / waste. It is recommended that the plug and wastes seal off directly to basin. See figure 1.  
Tap holes are not recommended on the floating bench. Water damage due to leakage at any cutouts will not be covered by warranty.

Figure 1.




**Step 2.** Position brackets level against the wall.

Fix to wall at the correct spacing using appropriate fixings.

Hardwood studs may be required to support the floating bench. Ensure brackets will not impede on selected basin cut out position. See Figure 2.

\*For 1000 / 1200 / 1500 floating benches, installer to position the middle bracket based on basin location.

Figure 2.





## VENICE FLOATING BENCH

### VENICE FLOATING BENCH INSTALLATION INSTRUCTIONS

**Step 3.** Fix the floating bench to brackets using screws supplied.

\*For 1000 / 1200 / 1500 floating benches, installer to position the middle bracket based on basin location.

**Figure 3.**

